FLOOR SCREEN BOOTH 50 SQUARE

KURAGE

01-2022

FLOOR SCREEN BOOTH 50 SQUARE

SPECIFICATIONS

Booths are supplied in various combination possibilities, all with a height of 140-155 cm.

The cover has elastics sewn on, ensuring a constant tightening of the fabric.

Cover is detachable and can be dry-cleaned.

Possibility for printed as well as plain textiles.

Visible frame of extruded aluminium.

Acoustic core of stone wool/mineral wool made from natural minerals.

Thickness: 50 mm.

In addition to standard dimensions we also supply special dimensions.

FLOOR SCREEN BOOTH 50 SQUARE

COMBINATIONS



Type A



Type B



Type C



Type D



Type E

KURAGE

www.kurage.com

FLOOR SCREEN BOOTH 50 SQUARE

ACOUSTIC PROPERTIES



Tested module size: 1,2 x 1,8 m.

KURAGE

www.kurage.com

FLOOR SCREEN BOOTH 50 SQUARE

ACCESSORIES 1/2



Adjustable foot
article no. 5220



Adjustable foot
article no. 5220



Adjustable foot
article no. 5220



Connecting bracket
article no. 5221



Connecting bracket
article no. 5221



Connecting bracket
article no. 5221

Connecting bracket
article no. 5222



Connecting bracket
article no. 5222



Connecting bracket
article no. 5222

KURAGE

www.kurage.com

FLOOR SCREEN BOOTH 50 SQUARE

ACCESSORIES 2/2



Connecting bracket
article no. 5223



Connecting bracket
article no. 5223



Connecting bracket
article no. 5223



Connecting bracket
article no. 5224



Connecting bracket
article no. 5224



Connecting bracket
article no. 5224



Square adjustable foot
article no. 5021



Square adjustable foot
article no. 5021



Square adjustable foot
article no. 5021

KURAGE

www.kurage.com